



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

### 1 Identification

- **Product identifier**
- **Trade name:** EkoPrime Primer/Sealer
- **Other means of identification:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Sealant
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Stewart Systems  
8878 Harmony Church Rd.  
Johnstown, OH 43031  
USA  
888-356-7659 (Toll-Free)  
509-782-3626 (International)
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified as hazardous according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Not regulated.
- **Hazard pictograms:** Not regulated.
- **Signal word:** Not regulated.
- **Hazard statements:** Not regulated.
- **Precautionary statements:** Not regulated.
- **Other hazards** There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures

- **Components:**

13463-67-7	titanium dioxide	10-30%
471-34-1	calcium carbonate	<10%
14807-96-6	Talc	<10%
111-76-2	2-butoxyethanol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 Flam. Liq. 4, H227	<10%
68412-54-4	Nonylphenol, branched, ethoxylated	<0.25%

(Cont'd. on page 2)



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 1)

**· Additional information:**

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

### 4 First-aid measures

**· Description of first aid measures****· After inhalation:** Supply fresh air; consult doctor in case of complaints.**· After skin contact:**

Clean with water and soap.

If skin irritation is experienced, consult a doctor.

**· After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**· After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

**· Most important symptoms and effects, both acute and delayed:**

Causes mild skin irritation.

Gastric or intestinal disorders when ingested.

**· Indication of any immediate medical attention and special treatment needed:**

No relevant information available.

### 5 Fire-fighting measures

**· Extinguishing media****· Suitable extinguishing agents:**

The product is not flammable.

Use fire fighting measures that suit the environment.

**· For safety reasons unsuitable extinguishing agents:** None.**· Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**· Advice for firefighters****· Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

**· Personal precautions, protective equipment and emergency procedures**

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

**· Environmental precautions** Do not allow to enter sewers/ surface or ground water.**· Methods and material for containment and cleaning up**

Allow to solidify. Pick up mechanically.

(Cont'd. on page 3)



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 2)

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.

**Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

**Handling****Precautions for safe handling:**

Open and handle receptacle with care.  
Keep out of reach of children.

**Information about protection against explosions and fires:** No special measures required.**Conditions for safe storage, including any incompatibilities****Storage**

**Requirements to be met by storerooms and receptacles:** Store in a well-ventilated place. Keep cool.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:**

Protect from humidity and water.  
Keep containers tightly sealed.

**Specific end use(s)** No relevant information available.

### 8 Exposure controls/personal protection

**Control parameters****Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

**13463-67-7 titanium dioxide**

PEL (USA)	Long-term value: 15* mg/m <sup>3</sup> *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 10 mg/m <sup>3</sup> withdrawn from NIC
EL (Canada)	Long-term value: 10* 3** mg/m <sup>3</sup> *total dust; **respirable fraction; IARC 2B
EV (Canada)	Long-term value: 10 mg/m <sup>3</sup> total dust
LMPE (Mexico)	Long-term value: 10 mg/m <sup>3</sup> A4

(Cont'd. on page 4)



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 3)

**471-34-1 calcium carbonate**

PEL (USA)	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	TLV withdrawn

**14807-96-6 Talc**

PEL (USA)	Long-term value: 20 mppcf ppm (containing <1% Quartz)
REL (USA)	Long-term value: 2* mg/m <sup>3</sup> *respirable dust; and <1% Quartz
TLV (USA)	Long-term value: 2* mg/m <sup>3</sup> *as respirable fraction; E
EL (Canada)	Long-term value: 2 *0.1 f/cc mg/m <sup>3</sup> resp. *if contains asbestos : ACGIH A1, IARC 1
EV (Canada)	Long-term value: 2* mg/m <sup>3</sup> , 2 f/cc ppm *respirable
LMPE (Mexico)	Long-term value: 2* mg/m <sup>3</sup> A4, *fracción respirable

**111-76-2 2-butoxyethanol**

PEL (USA)	Long-term value: 240 mg/m <sup>3</sup> , 50 ppm Skin
REL (USA)	Long-term value: 24 mg/m <sup>3</sup> , 5 ppm Skin
TLV (USA)	Long-term value: 97 mg/m <sup>3</sup> , 20 ppm BEI
EL (Canada)	Long-term value: 20 ppm
EV (Canada)	Long-term value: 20 ppm Skin
LMPE (Mexico)	Long-term value: 20 ppm A3, IBE

**· Ingredients with biological limit values:****111-76-2 2-butoxyethanol**

BEI (USA)	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis
-----------	------------------------------------------------------------------------------------------------------------

**· Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Avoid contact with the eyes.  
Avoid close or long term contact with the skin.

(Cont'd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 4)

- **Engineering controls:** No relevant information available.
- **Breathing equipment:**  
Not required under normal conditions of use.  
Use suitable respiratory protective device when aerosol or mist is formed.  
For spills, respiratory protection may be advisable.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:**  
Not required under normal conditions of use.  
Protection may be required for spills.
- **Limitation and supervision of exposure into the environment** No special requirements.
- **Risk management measures** No special requirements.

### 9 Physical and chemical properties

#### · Information on basic physical and chemical properties

##### · Appearance:

**Form:** Liquid  
**Color:** According to product specification

- **Odor:** Characteristic
- **Odor threshold:** Not determined.

- **pH-value:** Not determined.

- **Melting point/Melting range:** Not determined.

- **Boiling point/Boiling range:** Not determined.

- **Flash point:** Not applicable.

- **Flammability (solid, gaseous):** Not applicable.

- **Auto-ignition temperature:** Not applicable.

- **Decomposition temperature:** Not determined.

- **Danger of explosion:** Product does not present an explosion hazard.

##### · Explosion limits

**Lower:** Not determined.  
**Upper:** Not determined.

(Cont'd. on page 6)



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 5)

- |                                                   |                                    |
|---------------------------------------------------|------------------------------------|
| · <b>Vapor pressure:</b>                          | Not determined.                    |
| · <b>Density:</b>                                 |                                    |
| Relative density:                                 | 1.37                               |
| Vapor density:                                    | Not determined.                    |
| Evaporation rate:                                 | Not determined.                    |
| · <b>Solubility in / Miscibility with Water:</b>  | Fully miscible.                    |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                    |
| · <b>Viscosity</b>                                |                                    |
| Dynamic:                                          | Not determined.                    |
| Kinematic:                                        | Not determined.                    |
| · <b>Other information</b>                        | No relevant information available. |

### 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Reacts with peroxides and other radical forming substances.  
Reacts with strong acids and oxidizing agents.  
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials**  
Strong acids  
Oxidizers
- **Hazardous decomposition products**  
Under fire conditions only:  
Carbon monoxide and carbon dioxide  
Sulfur oxides (SO<sub>x</sub>)  
Nitrogen oxides  
Toxic metal oxide smoke

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Slight irritant effect on skin and mucous membranes.
- **On the eye:** Slight irritant effect on eyes.

(Cont'd. on page 7)



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 6)

- **Sensitization:** No sensitizing effects known.

**IARC (International Agency for Research on Cancer):**

13463-67-7	titanium dioxide	2B
64-17-5	ethanol	1

**NTP (National Toxicology Program):**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

**Probable route(s) of exposure:**

Ingestion.  
Inhalation.  
Eye contact.  
Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:**

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.

- **STOT-single exposure:** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

**Toxicity**

- **Aquatic toxicity** The product contains materials that are harmful to the environment.

- **Persistence and degradability** The product is partially biodegradable. Significant residuals remain.

- **Bioaccumulative potential:** No relevant information available.

- **Mobility in soil:** No relevant information available.

**Additional ecological information****General notes:**

This statement was deduced from the properties of the single components.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No relevant information available.

(Cont'd. on page 8)



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 7)

### 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- **UN-Number**

- DOT, ADR, IMDG, IATA

Not regulated.

- **UN proper shipping name**

- DOT, ADR, IMDG, IATA

Not regulated.

- **Transport hazard class(es)**

- DOT, ADR, IMDG, IATA

- Class

Not regulated.

- **Packing group**

- DOT, ADR, IMDG, IATA

Not regulated.

- **Environmental hazards**

- Marine pollutant:

No

- **Special precautions for user**

Not applicable.

- **Transport in bulk according to Annex II of**

**MARPOL73/78 and the IBC Code**

Not applicable.

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- United States (USA)

- SARA

- **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

(Cont'd. on page 9)





## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 8)

**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**Section 313 (Specific toxic chemical listings):**

111-76-2 | 2-butoxyethanol

**TSCA (Toxic Substances Control Act)**

All ingredients are listed.

**Proposition 65 (California)****Chemicals known to cause cancer:**

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

13463-67-7 | titanium dioxide

14807-96-6 | Talc

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.  
Present in trace quantities: methanol <0.05%.

64-17-5 | ethanol

67-56-1 | methanol

**Carcinogenic categories****EPA (Environmental Protection Agency):**

111-76-2 | 2-butoxyethanol

NL

**IARC (International Agency for Research on Cancer):**

Present in trace quantities: 64-17-5.

13463-67-7 | titanium dioxide

2B

64-17-5 | ethanol

1

**NIOSH-Ca (National Institute for Occupational Safety and Health):**

13463-67-7 | titanium dioxide

**Canadian Domestic Substances List (DSL):**

All ingredients are listed.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Date of preparation / last revision** May 02, 2017 / -**Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Cont'd. on page 10)



## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: May 02, 2017

Revision: May 02, 2017

**Trade name: EkoPrime Primer/Sealer**

(Cont'd. of page 9)

IATA: International Air Transport Association  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bio-accumulable, Toxique  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 4: Flammable liquids – Category 4  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

**Sources**

Website, European Chemicals Agency (echa.europa.eu)  
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)  
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: www.chemtelinc.com