

# SAFETY DATA SHEET

Issuing Date: 28-Feb-2012 Revision Date: 26-Jul-2017 **Revision Number: 2** 

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Code: AD2298 Product Name: EPOXY CURING AGENT FOR MIL-PRF-23377K TYPE I/II CLASS C2

Hentzen Coatings, Inc. Company Phone Number: 1-414-353-4200

6937 West Mill Road, Milwaukee, WI 53218-1225

Emergency telephone number ChemTrec 1-800-424-9300

Recommended use of the chemical and restrictions on use Industrial paint (Paint or Paint-Related), Restricted to

professional users

# 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin Corrosion/Irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Flammable Liquids	Category 2

### Label Elements

# **Emergency Overview**

# DANGER

# Hazard Statements

harmful if inhaled Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction Highly flammable liquid and vapor



Appearance Opaque

Physical state Liquid

Odor Solvent

# **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/Bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

### Other information

- · May be harmful if swallowed
- · May be harmful in contact with skin
- · Harmful to aquatic life

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### There are no known carcinogenic chemicals in this product

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CAS No	Weight-%	ACGIH	OSHA
110-43-0	10% - 20%	TWA: 50 ppm	TWA: 100 ppm
			TWA: 465 mg/m <sup>3</sup>
100-51-6	5% - 10%	N/A	N/A
112-24-3	1% - 5%	N/A	N/A
	110-43-0 100-51-6	110-43-0 10% - 20% 100-51-6 5% - 10%	110-43-0 10% - 20% TWA: 50 ppm 100-51-6 5% - 10% N/A

# 4. FIRST AID MEASURES

## First Aid Measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Immediately flush eyes with water for at least 15 minutes. Get medical attention. If easy to

do, remove contact lenses. Keep eye wide open while rinsing. If symptoms persist, call a

physician.

**Skin Contact** Wash off immediately with soap and plenty of water.

Inhalation If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with

skin. Use barrier to give mouth-to-mouth resuscitation. Consult a physician if necessary.

**Ingestion** Do NOT induce vomiting.

**Self-protection of the first aider** Remove all sources of ignition.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to physician

May cause sensitization of susceptible persons.

# 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Flammable.

### **Explosion Data**

Sensitivity to Mechanical Impact no data available.

Sensitivity to Static Discharge Yes.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of

ignition. Use personal protective equipment as required. Avoid breathing vapors or mists.

Ventilate the area.

**Environmental Precautions** 

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. Vapors are heavier than air, spread

along floors and form explosive mixtures with air.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent

material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert

absorbent material.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of

ignition. Take precautionary measures against static discharges. Use explosion-proof electrical (ventilation and lighting) equipment. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). To dissipate static electricity during transfer, ground drum and connect to receiving container with bonding

strap. Use only non-sparking tools.

### Conditions for safe storage, including any incompatibilities

MIL-PRF-23377K TYPE I/II CLASS C2

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep away

from heat, sparks and flame. Keep containers tightly closed in a cool, well-ventilated place.

Revision Date: 26-Jul-2017

Incompatible Products None known based on information supplied.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH	OSHA	NIOSH IDLH
TERTIARY BUTYL ACETATE	STEL: 150 ppm	TWA: 200 ppm	IDLH: 1500 ppm
540-88-5	TWA: 50 ppm	TWA: 950 mg/m <sup>3</sup>	TWA: 200 ppm
			TWA: 950 mg/m <sup>3</sup>
METHYL AMYL KETONE	TWA: 50 ppm	TWA: 100 ppm	IDLH: 800 ppm
110-43-0		TWA: 465 mg/m <sup>3</sup>	TWA: 100 ppm
			TWA: 465 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

#### Exposure controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

Eye/Face Protection Use personal protective equipment as required.

**Skin and Body Protection** Chemical resistant apron.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work

area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid **Appearance** Opaque Odor Solvent. **Odor Threshold** No data available Нα No data available Flash Point 40 °F / 4 °C Decomposition temperature No data available 208 °F / 98 °C **Boiling Point** Melting Point / Melting Range No data available Freezing Point No data available Vapor Pressure @20°C (kPa) No data available Partition coefficient: No data available **Vapor Density** No data available Density No data available

Bulk density No data available Specific Gravity 0.93

Evaporation Rate No data available Water solubility No data available

Dynamic viscosity No data available Weight per Gallon (lbs/gal): 7.73

Flammability Limits in Air

 Upper
 3.39 %

 Lower
 0.57 %

# 10. STABILITY AND REACTIVITY

## Reactivity

MIL-PRF-23377K TYPE I/II CLASS C2

Revision Date: 26-Jul-2017

No data available

**Chemical stability** 

Stable under recommended storage conditions.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

**Hazardous Decomposition Products** 

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** The product has not been tested

Inhalation There is no data for this product.

**Eye Contact** There is no data for this product.

Skin Contact There is no data for this product.

Ingestion There is no data for this product.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TERTIARY BUTYL ACETATE	= 4100 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 13300 mg/m <sup>3</sup> (Rat)4 h
540-88-5			
METHYL AMYL KETONE	= 1600 mg/kg (Rat)	= 12.6 mL/kg (Rabbit)	2000 - 4000 ppm (Rat) 6 h
110-43-0			
BENZYL ALCOHOL	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
100-51-6			, , ,
TRIETHYLENETETRAMINE(TETA)	= 2500 mg/kg (Rat)	= 550 mg/kg (Rabbit)	N/A
112-24-3	,	3 3 1 /	

# Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **MUTAGENIC EFFECTS** No information available. Carcinogenicity

No information available.

Legend:

Reproductive Toxicity No information available. Specific target organ systemic No information available.

toxicity (single exposure) Specific target organ systemic

toxicity (repeated exposure)

No information available.

**Chronic Toxicity** 

Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

**Target Organ Effects** 

Central nervous system (CNS), Eyes, Peripheral Nervous System (PNS), Respiratory

system, Skin.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 2215 mg/kg ATEmix (dermal) 2602 mg/kg

ATEmix (inhalation-dust/mist) 3.3 mg/l

Oral LD50 4037 mg/kg (rat) Estimated Dermal LD50 4367 mg/kg (rat) Estimated

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to daphnia and other aquatic invertebrates
TERTIARY BUTYL ACETATE 540-88-5	N/A	296 - 362: 96 h Pimephales promelas mg/L LC50 flow-through	N/A
METHYL AMYL KETONE 110-43-0	N/A	126 - 137: 96 h Pimephales promelas mg/L LC50 flow-through	N/A
BENZYL ALCOHOL 100-51-6	N/A	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	23: 48 h water flea mg/L EC50
TRIETHYLENETETRAMINE(TETA) 112-24-3	2.5: 72 h Desmodesmus subspicatus mg/L EC50 20: 72 h Pseudokirchneriella subcapitata mg/L EC50 3.7: 96 h Pseudokirchneriella subcapitata mg/L EC50	495: 96 h Pimephales promelas mg/L LC50 570: 96 h Poecilia reticulata mg/L LC50 semi-static	31.1: 48 h Daphnia magna mg/L EC50

# Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

Chemical Name	Partition coefficient
METHYL AMYL KETONE 110-43-0	1,98
BENZYL ALCOHOL 100-51-6	1.1
TRIETHYLENETETRAMINE(TETA) 112-24-3	-1.4

Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste treatment methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

**US EPA Waste Number** D001

# 14. TRANSPORT INFORMATION

DOT

UN-No UN1263 Proper shipping name Paint Hazard class 3 **Packing Group** П

**Special Provisions** 149, B52, IB2, T4, TP1, TP8, TP28

Description UN1263, Paint, 3, II, RQ

**Emergency Response Guide** 128

#### Number

**TDG** 

UN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II

**Description** UN1263, Paint, 3, II

MEX

VN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II

**Description** UN1263, Paint, 3, II

ICAO

UN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II
Special Provisions A3, A72

Description UN1263, Paint, 3, II

IATA

 UN-No
 UN1263

 Hazard class
 3

 Packing Group
 II

 ERG Code
 3L

Special Provisions A3, A72, A192

IMDG/IMO

 UN-No
 UN1263

 Hazard class
 3

 Packing Group
 II

 EmS-No
 F-E, S-E

 Special Provisions
 163, 367

RID

UN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II
Classification Code F1

**Description** UN1263, Paint, 3, II

ADR/RID

UN-No UN1263
Proper shipping name Paint
Hazard class 3
Packing Group II
Classification Code F1
Tunnel restriction code (D/E)

 Special Provisions
 163, 640C, 650, 367

 Description
 UN1263, Paint, 3, II, (D/E)

ADR/RID-Labels 3

**ADN** 

Proper shipping namePaintHazard class3Packing GroupIIClassification CodeF1

**Special Provisions** 163, 640C, 650 **Description** UN1263, Paint, 3, II

Hazard Labels3Limited Quantity (LQ)5 LVentilationVE01

## 15. REGULATORY INFORMATION

Revision Date: 26-Jul-2017

### International Inventories

**TSCA** Complies DSL/NDSL Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### CAA (Clean Air Act)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

# **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
TERTIARY BUTYL ACETATE	N/A	N/A	N/A	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances	RQ (reportable quantity)
		RQs	

TERTIARY BUTYL ACETATE	5000 lb	N/A	RQ 5000 lb final RQ
			RQ 2270 kg final RQ

# State Regulations

# California Proposition 65

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
TERTIARY BUTYL	X	X	X	N/A	X
ACETATE					
METHYL AMYL KETONE	X	Х	X	N/A	X
TRIETHYLENETETRAMINE	X	X	X	N/A	N/A
(TETA)					

# International Regulations

Mexico - Grade

Serious risk, Grade 3

Chemical Name	Carcinogenic Status	Exposure Limits
TERTIARY BUTYL ACETATE	N/A	Mexico: TWA 200 ppm
		Mexico: TWA 950 mg/m <sup>3</sup>
		Mexico: STEL 250 ppm
		Mexico: STEL 1190 mg/m <sup>3</sup>
METHYL AMYL KETONE	N/A	Mexico: TWA 50 ppm
		Mexico: TWA 235 mg/m <sup>3</sup>
		Mexico: STEL 100 ppm
		Mexico: STEL 465 mg/m <sup>3</sup>

# **16. OTHER INFORMATION**

NFPA

Health Hazard 2

Flammability 3

Instability 0

**Physical and Chemical** Hazards -

**NFPA Rating** 



HMIS

Health Hazard 1 \* Flammability 3

Physical Hazard 0 Personal protection X

Chronic Hazard Star Legend

\* Chronic Health Hazard

**Issuing Date: Revision Date:**  28-Feb-2012 26-Jul-2017

**Revision Note** 

No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date: 26-Jul-2017

end