

Page 1 of 6 **BC-005** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

10031-43-3 NA

Aquatic Chronic 3; H412

CUPRIC NITRATE

CUPRIC PHOSPHATE

221-838-5

Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; H302, H315, H319 7798-23-4 [G17875000] 232-254-5 1-3 NA NF NF NF 1 NA NA

NA NF NF NF 1 NA NA

SDS Revision: 1.0

SDS Revision Date: 6/24/2014

	red to OOTIA, ACC, ANOI,	10HSC, WHMIS, 2001/58 & 12/12/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 6/24/2014	
		1. PRODUCT & COMPANY IDENTIFICATION	
.1	Product Name:	SUPER BLUE® LIQUID GUN BLUE	
.2	Chemical Name:	Acid Mixture	
.3	Synonyms:	13425, 13432, 13488, 13489, R2, R2-QT	
4	Trade Names:	Super Blue® Liquid Gun Blue	
5	Product Use:	Metal Finishing	
6	Distributor's Name:	Birchwood Casey.	
7	Distributor's Address:	7887 Fuller Road, Suite #100, Eden Prairie, MN 55344 USA	
В	Emergency Phone:	ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (866) 291-7152	
9	Business Phone / Fax:	+1 (952) 388-6717	
		2. HAZARDS IDENTIFICATION	
.1	Hazard Identification:  Effects of Exposure:	This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia).  DANGER! MAY INTENSIFY FIRE; OXIDIZER. TOXIC IF SWALLOWED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. TOXIC IF INHALED. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.  Hazard Statements (H): H272 – May intensify fire; oxidizer. H301 – Toxic if swallowed. H314 – Causes severe skin burns and eye damage. H331 – Toxic if inhaled. H412 – Harmful to aquatic life with long lasting effects.  Precautionary Statements (P): P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P260 – Do not breathe dust or mist. P261 – Avoid breathing furne/vapors. P264 – Wash with soap and water thoroughly after handling. P270 – Do not eat, drink, or smoke when using this product. P271 – Use only outdoors or in a well-ventilated area. P273 – Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P321 – Specific treatments see this container label and section 4 First Aid of this SDS. P330 – Rinse mouth. P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P363 – was contaminated clothing before reuse. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 – Call a Poison Center +1-866-291-7152/doctor. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P370+P378 – In case of fire: Use fire-extinguishing media appropriate for surrounding materials to extinguish. P391 – Collect spillage. P403+P233 – Store in a well-ventilated place. Keep container tightly closed. P405 – Store locked up. P501 - Dispose of contents/ container to an a	
_	Elicoto di Expodute.	Eyes: Severe or permanent eye damage.  Skin: Burns upon direct contact.  Ingestion: Severe burns of mouth, throat, stomach.  Inhelation: Severe irritation or burns in respiratory tract and mucous membranes. Possible lung damage.	
3	Symptoms of Overexposure:	Inhalation:       Severe irritation or burns in respiratory tract and mucous membranes. Possible lung damage.         Eyes:       Redness, burning, irritation, and swelling around eyes         Skin:       Redness, burning, itching, rash, blistering of skin.         Ingestion:       Nausea, vomiting, severe abdominal pain.         Inhalation:       Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.	
1	Acute Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper	
		May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.	
5	Chronic Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.	
5		May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.	
5	Chronic Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.	
5	Chronic Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.  3. COMPOSITION & INGREDIENT INFORMATION	
5	Chronic Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.	
5 6	Chronic Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.  3. COMPOSITION & INGREDIENT INFORMATION  EXPOSURE LIMITS IN AIR (mg/m³)	
5	Chronic Health Effects: Target Organs:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.  3. COMPOSITION & INGREDIENT INFORMATION  EXPOSURE LIMITS IN AIR (mg/m³)  ACGIH NOHSC OSHA  ppm ppm ppm ppm ppm ppm ppm ppm	
5	Chronic Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.  3. COMPOSITION & INGREDIENT INFORMATION  EXPOSURE LIMITS IN AIR (mg/m³)  ACGIH NOHSC OSHA  ppm ppm ppm ppm ppm ppm ppm DPM DPM DTHER	
EMI(	Chronic Health Effects: Target Organs:  CAL NAME(S)	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.  3. COMPOSITION & INGREDIENT INFORMATION  EXPOSURE LIMITS IN AIR (mg/m³)  ACGIH NOHSC OSHA  ppm ppm ppm ppm ppm ppm ppm ppm	
EMI(	Chronic Health Effects: Target Organs:  CAL NAME(S)	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.  3. COMPOSITION & INGREDIENT INFORMATION  EXPOSURE LIMITS IN AIR (mg/m³)  ACGIH NOHSC OSHA  ppm ppm ppm ppm ppm ppm ppm ppm ppm pp	
EMI	Chronic Health Effects: Target Organs:  CAL NAME(S)	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.  May damage the nervous system, kidney and/or liver.  Eyes, skin, nervous system, kidneys, liver, respiratory system.  3. COMPOSITION & INGREDIENT INFORMATION  EXPOSURE LIMITS IN AIR (mg/m³)  ACGIH NOHSC OSHA  ppm ppm ppm ppm ppm ppm ppm ppm ppm pp	



Page 2 of 6 **BC-005** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 6/24/2014 4. FIRST AID MEASURES DO NOT INDUCE VOMITING. Contact Poison Control Center +1 (866) 291-7152 or the nearest Poison 4 1 First Aid: Ingestion: Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding evelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial Inhalation: respiration. Seek immediate medical attention. 4.2 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 3 Aggravated by Exposure: target organs (eyes, skin, and respiratory system) or impaired kidney **FLAMMABILITY** 0 function may be more susceptible to the effects of this substance. 2 **PHYSICAL HAZARDS** PROTECTIVE EQUIPMENT Н **EYES** LUNGS SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensity fire; oxidizer. 5.2 Extinguishing Methods: Use fire-extinguishing media appropriate for surrounding materials. 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters 7. HANDLING & STORAGE INFORMATION Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out Work & Hygiene Practices: of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10). Protect containers from physical damage. 7.3 Special Precautions: Empty containers may retain hazardous product residues.



11.8

11.9

Biological Exposure Indices:

Physician Recommendations:

NE

Treat symptomatically

Page 3 of 6 SAFETY DATA SHEET **BC-005** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 6/24/2014 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the Controls handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eyewash station). 8.2 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: 8.3 Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. 8.4 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product. 8.5 Body Protection: A chemical resistant apron and/or protective clothing are recommended when handling or using this product. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9.1 Clear liquid 9.2 Odor: Odorless 9.3 Odor Threshold: 0.29 to 0.98 ppm (Nitric Acid) 9.4 pH: 1.0 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 > 100 °C (> 214 °F) Range: 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability NA Limits: Vapor Pressure: 9.9 NA 9.10 Vapor Density < 1.0 (air = 1.0)9.11 Relative Density 1.080 9.12 Solubility Soluble 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA 9.17 Other Information: Evaporation Rate: < 1.0 (ethyl ether = 1.0) 10. STABILITY & REACTIVITY Stability: 10.1 Stable at normal temperatures. 10.2 Hazardous Decomposition Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal decomposition may produce selenium, nitrogen, phosphoric and copper oxides 10.3 Hazardous Polymerization: Will not occur. Conditions to Avoid: 10.4 Excessive heat, shock, friction. 10.5 Incompatible Substances Cyanides, water-reactive substances, strong reducing agents, chlorinated cleaners or sanitizers, combustible organic materials, most metals. 11. TOXICOLOGICAL INFORMATION Ingestion: YES 11.1 Routes of Entry Absorption: YES 11.2 Toxicity Data: <u>Cupric Nitrate</u>: LD<sub>50</sub> (oral, rat) = 794 mg/kg. <u>Phosphoric Acid</u>: LD<sub>50</sub> (oral, rat) = 1530 mg/kg. 11.3 Acute Toxicity: See Section 2.4 11.4 Chronic Toxicity: See Section 2.5 11.5 Suspected Carcinogen: Components in this product are listed by IARC as Group 3 (Not classifiable as to its carcinogenicity to humans). Cupric nitrate is IARC Group 2A: Probably carcinogenic to humans. 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans Mutagenicity This product is not reported to produce mutagenic effects in humans Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 2.3



Page 4 of 6 **BC-005** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 6/24/2014 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: No data available. 122 Effects on Plants & Animals: No data available 12.3 Effects on Aquatic Life Very toxic to aquatic life with long lasting effects. Phosphoric Acid: EC<sub>50</sub> (Daphnia magna, 12h) = 4.6 mg/L 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. 13.2 Special Considerations: U.S. EPA Hazardous Waste - Characteristic - Corrosive (D002), Characteristic - Toxic (D010) 14. TRANSPORTATION INFORMATION 49 CFR (GND): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L) CONSUMER COMMODITY; EXCEPTED QUANTITY 14.2 IATA (AIR): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8,II, LTD QTY (IP VOL ≤ 0.1 L) 14.3 IMDG (OCN): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL  $\leq$  1.0 L) **EXCEPTED QUANTITY** 14.4 TDGR (Canadian GND): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L) ADR/RID (EU): UN3264. CORROSIVE LIQUIDS. ACIDIC. INORGANIC. N.O.S. (SELENIOUS ACID. NITRIC 14.5 ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L) **EXCEPTED QUANTITY** 14.6 SCT (MEXICO): UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO NITRICO), 8, II, CANTIDAD LIMITADA (IP VOL ≤ 1.0 L) 14.7 ADGR (AUS): UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II, LTD QTY (IP VOL  $\leq$  1.0 L) **EXCEPTED QUANTITY** \* This product may also be shipped as an Excepted Quantity (Inner Package Volume ≤ 30 mL, Total Quantity ≤ 500 mL per Outer Package) 15. REGULATORY INFORMATION 15.1 SARA Reporting This product contains Nitric Acid, Cupric Sulfate, Cupric Nitrate and Selenious Acid, substances subject to SARA Title III, section 313 reporting requirements. 15.2 SARA Threshold Planning 302 TPQ (Nitric Acid): 1.000 lbs (454 kg) Quantity: The components of this product are listed on the TSCA Inventory. 15.3 TSCA Inventory Status: 15.4 CERCLA Reportable Quantity Selenious Acid: 10 lbs (4.54 kg); Nitric Acid: 1,000 lbs (454 kg); Cupric Sulfate: 10 lbs (4.54 kg) (RQ) Other Federal Requirements: 15.5 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toxic Effects) 15.7 State Regulatory Information: Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI). Nitric Acid is found on the following state criteria lists: FL, MA, MN, NJ, PA, and WA. Cupric nitrate is found on the following sate criteria list: MA, PA and NJ. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous

Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).



Page 5 of 6 **BC-005** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/24/2014

		15. REGULATORY INFO	DRMATION – cont'd		
15.8	Other Requirements:	Keep container tightly closed and in a well-ven case of contact with eyes, rinse immediately we contact with skin, wash with plenty of soap an immediately and show this container or label.  Nitric Acid: Irritaant (Xi).  Risk Phrases (R): 36/38 – Irritating to eyes and Safety Phrases (S):1/2-23-26-36-45 – Keep lock fumes/vapors. In case of contact with eyes,	Keep locked up and out of the reach of children. tilated place. Avoid contact with skin and eyes. In with plenty of water and seek medical advice. After d warm water. If swallowed, seek medical advice skin.  Red up and out of reach of children. Do not breather inse immediately with plenty of water and seek ing. In case of accident or if you feel unwell seek		
		16. OTHER INF	ORMATION		
16.1	Other Information:	DANGER! May intensify fire; oxidizer. Toxic if swallowed. Causes severe skin burns and eye damage. Toxic if inhaled. Harmful to aquatic life with long lasting effects. May be fatal if swallowed or harmful if inhaled. Causes severe burns to eyes and skin. OXIDIZER. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Avoid breathing fume/vapors. Wash with soap and water thoroughly after handling. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Casey's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.			
16.4	Prepared for:	Birchwood Casey 7887 Fuller Road, Suite #100 Eden Prairie, MN 55344 USA Tel: +1 (952) 388-6701 Fax: +1 (952) 388/6702 http://www.birchwoodCasey.com	BIRCHWOOD CASEY		
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate  ShipMate  Dangerous Goods  Training & Consulting		



Page 6 of 6 **BC-005** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 6/24/2014

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number	
EXPOSURE	EXPOSURE LIMITS IN AIR:	
ACGIH	American Conference on Governmental Industrial Hygienists	

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
TLV	TLV Threshold Limit Value	
OSHA	OSHA U.S. Occupational Safety and Health Administration	
PEL	PEL Permissible Exposure Limit	
IDLH	Immediately Dangerous to Life and Health	

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D			
Е			
F		THE STATE OF THE S	





Splash Goggles











**Dust & Vapor Half-**Mask Respirator

**Full Face** Respirator

Airline Hood/Mask or SCBA

### OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus
Flam.	Flammable
Liq.	Liquid
Sol.	Solid
Tox.	Toxicity
Irrit.	Irritation
Sens.	Senitization
Ox.	Oxidizing
Corr.	Corrosion
Repr.	Reproductive (Harm)
Asp.	Aspiration
lnh.	Inhalation
Dam.	Damage
STOT SE	Specific Target Organ Toxicity – Single Exposure
STOT RE	Specific Target Organ Toxicity – Repeated Exposure

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition	Minimum temperature required to initiate combustion in air with no other source	
Temperature	of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will	
	explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will	
	explode or ignite in the presence of an ignition source	

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>Io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>io</sub> , LD <sub>io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	DSL Canadian Domestic Substance List	
NDSL	NDSL Canadian Non-Domestic Substance List	
PSL	PSL Canadian Priority Substances List	
TSCA	TSCA U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(4)</b>	<b>(2)</b>		$\odot$	(1)		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

## EC (67/548/EEC) INFORMATION:

		M	¥		<b>@</b>	X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b>\ODES</b>		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment