

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0      Revision Date: 11/21/2024      SDS Number: 203000006337      Date of last issue: 10/29/2020  
Country / Language: US / EN

---

### SECTION 1. IDENTIFICATION

Product name : Preventol IT 14 Preservative

Product code : 00000000062666852

EPA registration number : 39967-91

#### Manufacturer or supplier's details

Company : LANXESS Corporation  
Product Safety & Regulatory Affairs  
111 RIDC Park West Drive  
Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS  
(412) 809-1000  
lanxesshess@lanxess.com

Emergency telephone : CHEMTRAC (800) 424-9300 or  
(703) 527-3887 (Outside U.S.A) and mention CCN12916.  
Lanxess Emergency Phone (800) 410-3063.

#### Recommended use of the chemical and restrictions on use

Recommended use : Biocide for industrial application

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Skin corrosion : Category 1

Serious eye damage : Category 1

Skin sensitization : Category 1

#### GHS label elements

# SAFETY DATA SHEET

## Preventol IT 14 Preservative

**LANXESS**  
Energizing Chemistry


Version  
2.0

Revision Date:  
11/21/2024

SDS Number:  
203000006337

Date of last issue: 10/29/2020  
Country / Language: US / EN

### Hazard pictograms



### Signal Word

: Danger

### Hazard Statements

: Harmful if swallowed, in contact with skin or if inhaled.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.

### Precautionary Statements

#### Prevention:

Avoid breathing mist or vapors.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

#### Storage:

Store locked up.

#### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Corrosive to the respiratory tract.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version  
2.0

Revision Date:  
11/21/2024

SDS Number:  
203000006337

Date of last issue: 10/29/2020  
Country / Language: US / EN

Chemical name	CAS-No.	Concentration (% w/w)
magnesium nitrate	10377-60-3	>= 20 - < 30
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1)	-	>= 10 - < 20

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

If inhaled : Get medical attention immediately.  
Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
If unconscious, place in recovery position and get medical attention immediately.  
Maintain open airway.  
Loosen tight clothing such as a collar, tie, belt or waistband.  
In case of inhalation of decomposition products in a fire, symptoms may be delayed.  
The exposed person may need to be kept under medical surveillance for 48 hours.  
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 30 minutes.  
Get medical attention immediately.  
Remove contaminated clothing and shoes.  
Wash off with warm water and soap.  
Wash contaminated clothing thoroughly with water before removing it, or wear gloves.  
In the event of any complaints or symptoms, avoid further exposure.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Get medical attention immediately.  
Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
In case of contact, immediately flush eyes with plenty of water for at least 30 minutes.  
Chemical burns must be treated promptly by a physician.

If swallowed : Get medical attention immediately.  
Rinse mouth with water.

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0	Revision Date: 11/21/2024	SDS Number: 203000006337	Date of last issue: 10/29/2020 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Do not induce vomiting unless directed to do by medical personnel.  
Give small amounts of water to drink.  
If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.  
Chemical burns must be treated promptly by a physician.  
Never give anything by mouth to an unconscious person.  
If unconscious, place in recovery position and get medical attention immediately.  
Maintain open airway.  
Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms and effects, both acute and delayed

Symptoms	: Eye: Corrosive with symptoms of reddening, tearing, swelling, burning and possible permanent damage. May cause pulmonary edema with symptoms of breathing difficulty and tightness of chest. Inhalation may provoke the following symptoms: Corrosive with symptoms of reddening, itching, swelling, burning and possible permanent damage. Skin: Reddening, burning, and possible permanent damage. Once sensitized, an allergic skin reaction may occur with reddening, swelling, and rash when subsequently exposed to very low levels. Ingestion: Corrosive with symptoms of coughing, burning, ulceration, and pain. Symptoms of ingestion may include abdominal pain, nausea, vomiting, and diarrhea.
Effects	: Harmful if swallowed, in contact with skin or if inhaled. May cause an allergic skin reaction. Causes serious eye damage. Causes severe burns.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. Remove victims from the danger zone without endangering your own safety.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Unsuitable extinguishing	: None known.

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020 Country / Language: US / EN

### media

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Nitrogen oxides (NOx)  
Metal oxides  
Carbon dioxide (CO2)  
Carbon monoxide  
Sulfur oxides  
Halogenated compounds

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
No action shall be taken involving any personal risk or without suitable training.  
Keep unnecessary and unprotected personnel from entering.  
Evacuate personnel to safe areas.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the ap-

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020 Country / Language: US / EN

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

**Conditions for safe storage** : Open and empty container only by applying suction apparatus on the spot.  
Ensure effective ventilation.

Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.

**Recommended storage temperature** : 14 - 104 °F / -10 - 40 °C

**Further information on storage stability** : Stable under recommended storage conditions.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

|| Contains no substances with occupational exposure limit values.

**Engineering measures** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Personal protective equipment

**Respiratory protection** : In the case of vapor formation use a respirator with an approved filter.

**Filter type** : Recommended Filter type:

Combined inorganic and acidic gas/vapor, ammonia/amines and organic vapor type

### Hand protection

Material

Wearing time

: Butyl rubber - IIR

: < 60 min

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 20300006337 Date of last issue: 10/29/2020 Country / Language: US / EN

---

Material	:	Nitrile rubber - NBR
Wearing time	:	< 60 min
Material	:	Polyvinyl chloride - PVC
Wearing time	:	< 60 min
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid
Physical state	:	liquid
Color	:	amber
Odor	:	slight
Odor Threshold	:	No data available
pH	:	1 - 4
Melting point/ range	:	No data available
Boiling point/boiling range	:	212 °F / 100 °C (1,013 hPa)
Flash point	:	> 212 °F / > 100 °C  Method: closed cup
Evaporation rate	:	No data available
Self-ignition	:	No data available
Burning number	:	No data available

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 20300006337 Date of last issue: 10/29/2020 Country / Language: US / EN

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : 0.075 mmHg (73 °F / 23 °C)

Relative density : No data available

Density : 1.3 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : Soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : > 131 °F / > 55 °C

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : Stable under normal conditions.

Conditions to avoid : Heat, flames and sparks.  
Avoid release to the environment.

Incompatible materials : Avoid contact with the following:  
Oxidizing agents  
Amines  
Reducing agents  
mercaptan

Hazardous decomposition products : Nitrogen oxides (NOx)  
Sulfur oxides

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020 Country / Language: US / EN

hydrogen chloride

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Eye contact  
Skin contact  
Ingestion

#### Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

#### Product:

Acute oral toxicity	: LD50 (Rat, female): 550 mg/kg Method: OECD Test Guideline 425 GLP: Yes
Acute inhalation toxicity	: Acute toxicity estimate: 2.36 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 (Rabbit): 660 mg/kg  LD50 (Rat, male and female): > 1,008 mg/kg Method: OECD Test Guideline 402

#### Components:

##### **magnesium nitrate:**

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 GLP: Yes Assessment: The substance or mixture has no acute oral toxicity Remarks: Dosage caused no mortality
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: Yes Remarks: Test results on an analogous substance/product.

##### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Acute oral toxicity	: LD50 (Rat): 64 mg/kg
---------------------	------------------------

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020 Country / Language: US / EN

Acute inhalation toxicity : LC50 (Rat): 0.33 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 87.12 mg/kg

### Skin corrosion/irritation

Causes severe burns.

#### Product:

Remarks : Corrosive

#### Components:

##### **magnesium nitrate:**

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : No  
Remarks : Test results on an analogous substance/product.

##### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.  
Remarks : Brief contact may cause skin burns. Symptoms may include pain, severe local redness and tissue damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Remarks : Risk of serious damage to eyes.

#### Components:

##### **magnesium nitrate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
GLP : Yes

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020  
Country / Language: US / EN

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Remarks : Risk of serious damage to eyes.

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified due to lack of data.

#### Product:

Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Causes sensitization.  
GLP : Yes

#### Components:

##### **magnesium nitrate:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Did not cause sensitization on laboratory animals.  
GLP : Yes

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitization by skin contact.  
GLP : Yes

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : The product is a skin sensitizer, sub-category 1A.  
GLP : Yes

#### **Germ cell mutagenicity**

Not classified due to lack of data.

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020 Country / Language: US / EN

### Components:

#### **magnesium nitrate:**

Genotoxicity in vitro : Test Type: gene mutation test  
Test system: *Salmonella typhimurium*  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: Yes

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

#### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

Not classified due to lack of data.

### Components:

#### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0	Revision Date: 11/21/2024	SDS Number: 203000006337	Date of last issue: 10/29/2020 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

|| identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified due to lack of data.

### Components:

#### **magnesium nitrate:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 250 - 750 - 1500 mg/kg  
Duration of Single Treatment: 28 d  
General Toxicity Parent: NOAEL:  $\geq$  1,500 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

Effects on fetal development : Species: Rat, male and female  
Application Route: Oral  
Dose: 250 - 750 - 1500 mg/kg  
Duration of Single Treatment: 53 d  
General Toxicity Maternal: NOAEL:  $\geq$  1,500 mg/kg body weight  
Developmental Toxicity: NOAEL:  $\geq$  1,500 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

#### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **STOT-single exposure**

Not classified due to lack of data.

### Components:

#### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Assessment : Material is corrosive. Upper respiratory tract irritation or corrosivity may be expected.

### **STOT-repeated exposure**

Not classified due to lack of data.

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version  
2.0

Revision Date:  
11/21/2024

SDS Number:  
203000006337

Date of last issue: 10/29/2020  
Country / Language: US / EN

---

### Components:

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### **magnesium nitrate:**

Species : Rat, male and female  
NOAEL : >= 1,500 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Number of exposures : daily  
Dose : 250 - 750 - 1500 mg/kg  
Method : OECD Test Guideline 422  
GLP : Yes  
Remarks : Subacute toxicity  
Test results on an analogous substance/product.

### Aspiration toxicity

Not classified due to lack of data.

### Components:

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

No aspiration toxicity classification

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### **magnesium nitrate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: Yes  
Method: OECD Test Guideline 203  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020 Country / Language: US / EN

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 490 mg/l  
Exposure time: 48 h  
Analytical monitoring: No  
GLP: No  
Remarks: Test results on an analogous substance/product.

Toxicity to algae/aquatic plants : EC50 (Diatom): > 1,700 mg/l  
End point: Growth rate  
Exposure time: 10 Days  
Test Type: static test  
Analytical monitoring: Yes  
GLP: No  
Remarks: Test results on an analogous substance/product.

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Analytical monitoring: No  
Method: OECD Test Guideline 209  
GLP: Yes  
Remarks: Test results on an analogous substance/product.

### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.16 mg/l  
Exposure time: 48 h  
Test Type: flow-through test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.027 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Skeletonema costatum (marine diatom)): 0.0014 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test

EC50 (Skeletonema costatum (marine diatom)): 0.0063 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicology) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.05 mg/l

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020 Country / Language: US / EN

icity) Exposure time: 14 d  
Test Type: flow-through test

NOEC (Pimephales promelas (fathead minnow)): 0.02 mg/l  
Exposure time: 36 d  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.1 mg/l  
Exposure time: 21 d  
Test Type: flow-through test

### Persistence and degradability

#### Components:

##### **magnesium nitrate:**

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Biodegradability : Result: Biodegradation (aquatic metabolism):5-Chloro-2-methyl-4-isothiazolin-3-one (CMIT):  $t_{1/2}$  anaerobic = 0.2 day.  $t_{1/2}$  aerobic = 0.38 – 1.3 day2-Methyl-4-isothiazolin-3-one(MIT):  $t_{1/2}$  aerobic = 0.38 – 1.4 day  
Remarks: Considered rapidly degradable in the environment.

Biodegradation: < 50 %  
Exposure time: 10 d

Result: Biodegradable  
Biodegradation: 62 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

Biodegradation: 98 %  
Exposure time: 48 d  
Method: Simulation study  
Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)  
Remarks: Considered rapidly degradable in the environment.

Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 29 d  
Method: OECD Test Guideline 301B  
Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020 Country / Language: US / EN

GLP: Yes

Result: Not readily biodegradable.

Biodegradation: 0 %

Exposure time: 28 d

Method: OECD Test Guideline 301D

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)

GLP: Yes

Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-isothiazol-3-one)

Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

aerobic

Concentration: 6 mg/l

Result: Readily biodegradable.

Biodegradation: 98 %

Exposure time: 2 d

Method: OECD Test Guideline 302B

Test substance: CAS 26172-55-4 (5-chloro-2-methyl-2H-isothiazol-3-one)

Remarks: 10-day Window: Not applicable

Photodegradation : Degradation (direct photolysis):  
Degradation half life: 0.2 d  
Degradation (indirect photolysis):  
Degradation half life: 0.38 - 1.3 d

### Bioaccumulative potential

#### Components:

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Test substance: CAS 2682-20-4 (2-methylisothiazol-3(2H)-one)

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

log Pow: -0.486

Method: measured

Remarks: 2-Methyl-4-isothiazolin-3-one(MIT):

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0	Revision Date: 11/21/2024	SDS Number: 203000006337	Date of last issue: 10/29/2020 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

log Pow: 0.401  
Method: measured  
Remarks: 5-Chloro-2-methyl-4-isothiazolin-3-one

### Mobility in soil

#### Components:

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Distribution among environmental compartments : Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Koc: 28  
Method: estimated  
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

### Other adverse effects

#### Components:

**Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4) (3:1):**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT). Substance is not very persistent and very bioaccumulative (vPvB).

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : When discarded in its purchased form, this product meets the criteria of corrosivity, and should be managed as a hazardous waste (EPA Hazardous Waste Number D002). (40 CFR 261.20-24)

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

---

## SECTION 14. TRANSPORT INFORMATION

#### International Regulations

# SAFETY DATA SHEET

## Preventol IT 14 Preservative

**LANXESS**  
Energizing Chemistry


Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020  
Country / Language: US / EN

### IATA-DGR

UN/ID No. : UN 2922  
Proper shipping name : Corrosive liquid, toxic, n.o.s.  
(MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))  
Class : 8  
Subsidiary risk : 6.1  
Packing group : III  
Labels : 8 6.1  
  
Packing instruction (cargo aircraft) : 856 : 60.00 L  
Packing instruction (passenger aircraft) : 852 : 5.00 L  
Environmentally hazardous : yes  


### IMDG-Code

UN number : UN 2922  
UN proper shipping name : CORROSIVE LIQUID, TOXIC, N.O.S.  
(MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))

Class : 8  
Subsidiary risk : 6.1  
Packing group : III  
Labels : 8 6.1  


EmS Code : F-A, S-B  
Marine pollutant : yes



**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### Domestic regulation

# SAFETY DATA SHEET

## Preventol IT 14 Preservative

**LANXESS**  
Energizing Chemistry

Version  
2.0

Revision Date:  
11/21/2024

SDS Number:  
203000006337

Date of last issue: 10/29/2020  
Country / Language: US / EN

### 49 CFR

UN/ID/NA number

: UN 2922

Proper shipping name

: Corrosive liquids, toxic, n.o.s.

(MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))

Class

: 8

Packing group

: III

Labels

: 8 6.1



ERG Code

: 154

Marine pollutant

: yes(MIXTURE OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1))



### Hazard and Handling Notes.

Slightly toxic.

Slightly corrosive.

Environmentally hazardous substance.

Keep well ventilated.

Keep separated from foodstuffs

The U.S. DOT regulations in Appendix B to 49 CFR § 172.101, paragraph 4 permit this material to ship as marine pollutant.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

### SARA 311/312 Hazards

: Acute toxicity (any route of exposure)  
Respiratory or skin sensitization  
Skin corrosion or irritation

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version  
2.0

Revision Date:  
11/21/2024

SDS Number:  
203000006337

Date of last issue: 10/29/2020  
Country / Language: US / EN

Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

magnesium ni-	10377-60-3	>= 20 - < 30 %
trate		

### US State Regulations

#### Massachusetts Right To Know

magnesium nitrate	10377-60-3	>= 20 - < 30
-------------------	------------	--------------

#### Pennsylvania Right To Know

magnesium nitrate	10377-60-3	>= 20 - < 30
water	7732-18-5	> 1
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (CAS 26172-55-4) and 2-methyl-2H-isothiazol-3- one (CAS 2682-20-4) (3:1)	611-341-5	> 1
magnesium chloride	7786-30-3	> 1

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### TSCA inventory

TSCA : This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### FIFRA information

EPA registration number : 39967-91

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word : DANGER

Hazard Statements : Corrosive Causes irreversible eye damage and skin burns. May be fatal if swallowed or absorbed through the skin. Harmful if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

# SAFETY DATA SHEET

## Preventol IT 14 Preservative


**LANXESS**  
Energizing Chemistry

Version 2.0 Revision Date: 11/21/2024 SDS Number: 203000006337 Date of last issue: 10/29/2020  
Country / Language: US / EN


### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

# SAFETY DATA SHEET

## Preventol IT 14 Preservative



Version 2.0	Revision Date: 11/21/2024	SDS Number: 203000006337	Date of last issue: 10/29/2020 Country / Language: US / EN
----------------	------------------------------	-----------------------------	---

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/21/2024

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.