



## 1. PRODUCT & COMPANY IDENTIFICATION

1.1	Product Name:	<b>BLUE &amp; RUST REMOVER</b>
1.2	Chemical Name:	Acid Mixture
1.3	Synonyms:	16125, BR1
1.4	Trade Names:	Blue & Rust Remover
1.5	Product Use:	Rust Remover
1.6	Distributor's Name:	Birchwood Casey.
1.7	Distributor's Address:	7887 Fuller Road, Suite #100, Eden Prairie, MN 55344 USA
1.8	Emergency Phone:	<b>ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (866) 291-7152</b>
1.9	Business Phone / Fax:	+1 (952) 388-6717

## 2. HAZARDS IDENTIFICATION

2.1	Hazard Identification:	<p>This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia).</p> <p><b>DANGER! CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. MAY CAUSE DROWSINESS OR DIZZINESS. HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN.</b></p> <p><u>Classification:</u> Skin Corr. 1A; STOT SE 3; Acute Toxicity-Oral 4; Acute Toxicity-Dermal 4</p> <p><u>Hazard Statements (H):</u> H314 – Causes severe skin burns and eye damage. H336 – May cause drowsiness or dizziness. H302+H312 – Harmful if swallowed or in contact with skin.</p> <p><u>Precautionary Statements (P):</u> P233 – Keep container tightly closed. P260 – Do not breathe mist. P264 – Wash with soap and water thoroughly after handling. P280 – Wear protective gloves/ protective clothing/ eye protection/ face protection. P271 – Use only outdoors or in a well-ventilated area. P301+P330+P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P363 – Wash contaminated clothing before use. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 – Immediately call a POISON CENTER/doctor. P321 – Specific treatment see section four of this SDS. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233 – Store in a well-ventilated place. Keep container tightly closed. P405 – Store locked up. P501 – Dispose of contents/ container to an approved waste disposal plant.</p>	 
-----	------------------------	--	---


### 3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> )									OTHER
					ACGIH		NOHSC			OSHA				
					ppm		ppm			ppm				
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	TLV	STEL	IDLH		
WATER (AQUA/EAU)	7732-18-5	ZC0110000	231-791-2	40-100	NA	NA	NF	NF	NF	NA	NA	NA		
PHOSPHORIC ACID	7664-38-2	TB6300000	231-633-2	20-40	(1)	(3)	1	3	NF	NA	NA	1000		
	Skin Corr. 1B; H314													
SULFURIC ACID	7664-93-9	WS5600000	231-639-5	3.0-13	(0.2)	(2)	(1)	(2)	NF	(1)	NA	(15)		
	Skin Corr. 1A; H314													
PROPYLENE GLYCOL MONOMETHYL ETHER	107-98-2	UB7700000	203-539-1	3.0-13	100	150	100	NF	NF	100	150	NA		
	Flam. Liq. 3; STOT SE 3; H226, H336													
DIPROPYLENE GLYCOL MONOMETHYL ETHER	34590-94-8	JM1575000	252-104-2	3.0-13	100	150	50	308	NF	100	NA	600		
OXALIC ACID	144-62-7	RO2450000	205-634-3	1-5	(1)	(2)	(1)	(2)	NF	(1)	NA	(500)		
	Acute Toxicity-Oral 4; Acute Toxicity-Dermal 4; Serious Eye Damage 1; H302+H312, H318													

## 4. FIRST AID MEASURES

4.1	First Aid:	<p><u>Ingestion:</u> DO NOT INDUCE VOMITING. Contact Poison Control Center +1 (866) 291-7152 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p><u>Eyes:</u> If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.</p> <p><u>Skin:</u> Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned.</p> <p><u>Inhalation:</u> Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention.</p>			
4.2	Effects of Exposure:	<p><u>Eyes:</u> Severe or permanent eye damage.</p> <p><u>Skin:</u> Burns upon direct contact.</p> <p><u>Ingestion:</u> Severe burns of mouth, throat, stomach.</p> <p><u>Inhalation:</u> Severe irritation or burns in respiratory tract and mucous membranes. Possible lung damage.</p>			
4.3	Symptoms of Overexposure:	<p><u>Eyes:</u> Redness, burning, irritation, and swelling around eyes</p> <p><u>Skin:</u> Redness, burning, itching, rash, blistering of skin.</p> <p><u>Ingestion:</u> Nausea, vomiting, severe abdominal pain.</p> <p><u>Inhalation:</u> Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.</p>			
4.4	Acute Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.			
4.5	Chronic Health Effects:	May damage the nervous system, kidney and/or liver.			
4.6	Target Organs:	Eyes, skin, respiratory system			
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, respiratory system, liver, blood-forming organs) or impaired kidney function may be more susceptible to the effects of this substance.	HEALTH		3
			FLAMMABILITY		1
			PHYSICAL HAZARDS		0
			PROTECTIVE EQUIPMENT		H
			EYES	SKIN	LUNGS

## 5. FIREFIGHTING MEASURES

5.1	Fire & Explosion Hazards:	Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensify fire; oxidizer.	
5.2	Extinguishing Methods:	Use fire-extinguishing media appropriate for surrounding materials.	
5.3	Firefighting Procedures:	As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.	

## 6. ACCIDENTAL RELEASE MEASURES

6.1	Spills:	<p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact.</p> <p><u>Small Spills:</u> Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal.</p> <p><u>Large Spills:</u> Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters.</p>
-----	---------	---

## 7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues.
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10). Protect containers from physical damage.
7.3	Special Precautions:	Empty containers may retain hazardous product residues.

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Exposure Limits: ppm (mg/m <sup>3</sup> )	CHEMICAL NAME(S)	ACGIH		NOHSC			OSHA			OTHER
			TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		PHOSPHORIC ACID	(1)	(3)	1	3	NF	NA	NA	1000	
		SULFURIC ACID	(1)	(2)	(1)	(2)	NF	(1)	NA	(500)	
		PROPYLENE GLYCOL MONOMETHYL ETHER	100	150	100	NF	NF	100	150	NA	
		DIPROPYLENE GLYCOL MONOMETHYL ETHER	100	150	50	308	NF	100	NA	600	
		OXALIC ACID	(1)	(2)	(1)	(2)	NF	(1)	NA	(500)	
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).									
8.3	Respiratory Protection:	In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.									
8.4	Eye Protection:	Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended.									
8.5	Hand Protection:	Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product.									
8.6	Body Protection:	A chemical resistant apron and/or protective clothing are recommended when handling or using this product.									

## 9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Appearance:	Clear light green liquid
9.2	Odor:	Slight ethereal odor
9.3	Odor Threshold:	NA
9.4	pH:	< 1
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	103 °C (218 °F)
9.7	Flashpoint:	100 °C (212 °F)
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	NA
9.11	Relative Density:	1.209
9.12	Solubility:	Complete
9.13	Partition Coefficient (log P <sub>ow</sub> ):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA

## 10. STABILITY & REACTIVITY

10.1	Stability:	Stable at normal temperatures.
10.2	Hazardous Decomposition Products:	Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal decomposition may produce selenium, nitrogen, phosphoric and copper oxides, and hydrogen fluoride gas.
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Excessive heat.
10.5	Incompatible Substances:	Cyanides, water-reactive substances, strong reducing agents, chlorinated cleaners or sanitizers, combustible organic materials, and most metals.

# SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 &amp; 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/3/2015

## 11. TOXICOLOGICAL INFORMATION

11.1	Routes of Entry:	Inhalation: YES	Absorption: YES	Ingestion: YES
11.2	Toxicity Data:	Phosphoric Acid: LD <sub>50</sub> (oral, rat) = 1530 mg/kg; Oxalic Acid: LD <sub>50</sub> (oral, rat) = 375 mg/kg		
11.3	Acute Toxicity:	See Section 2.4		
11.4	Chronic Toxicity:	See Section 2.5		
11.5	Suspected Carcinogen:	Sulfuric Acid (as a mist) is listed as IARC Group 1 (Carcinogenic to humans)		
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
	Teratogenicity:	This product contains nickel sulfate, which is reported to cause teratogenic effects in humans.		
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.		
11.7	Irritancy of Product:	See Section 2.3		
11.8	Biological Exposure Indices:	NE		
11.9	Physician Recommendations:	Treat symptomatically.		


## 12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	No data available.
12.2	Effects on Plants & Animals:	No data available.
12.3	Effects on Aquatic Life:	Very toxic to aquatic life with long lasting effects. Phosphoric Acid: EC <sub>50</sub> (Daphnia magna, 12h) = 4.6 mg/L; Sulfuric Acid: LC <sub>50</sub> (Brachydanio rerio, 96h): > 500 mg/L, EC <sub>50</sub> (Daphnia magna, 48h): 29 mg/L; Oxalic Acid: LC <sub>50</sub> (Leuciscus idus melanotus, 48h) – 160 mg/L; Oxalic Acid: EC <sub>50</sub> (Daphnia magna, 48h) – 162.2 mg/L


## 13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler.
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic - Corrosive (D002), Characteristic - Toxic (D010)

## 14. TRANSPORTATION INFORMATION

14.1	49 CFR (GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)	
14.2	IATA (AIR):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID), 8, II, LTD QTY (IP VOL ≤ 0.1 L)	
14.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)	
14.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)	
14.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULFURIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)	
14.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO FOSFORICO, ACIDO SULFURICO), 8, II, CANTIDAD LIMITADA (IP VOL ≤ 1.0 L)	
14.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (HOSPHORIC ACID, SULFURIC ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)	

## 15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product contains <u>Phosphoric Acid</u> , <u>Sulfuric Acid</u> substances subject to SARA Title III, section 313 reporting requirements.	
15.2	SARA Threshold Planning Quantity:	Sulfuric Acid: 454 kg (1,000 lbs)	
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity (RQ):	Phosphoric Acid: 5,000 lbs (2,270 kg); Sulfuric Acid: 454 kg (1,000 lbs)	
15.5	Other Federal Requirements:	NA	
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E, D1 (Corrosive Material, Materials Causing Immediate and Serious Toxic Effects).	

## 15. REGULATORY INFORMATION – cont'd

15.7	State Regulatory Information:	<p><u>Phosphoric Acid</u> is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN) and Pennsylvania Right-to-Know List (PA)</p> <p><u>Sulfuric Acid</u> is found on the following state criteria list: FL, MA, MN, NJ, PA and WA.</p> <p><u>Propylene Glycol Monomethyl Ether</u> is found on the following state criteria lists: FL, MA, MN, PA, and WA.</p> <p><u>Oxalic Acid</u> is found on the following state criteria lists: FL, MA, MN, NJ, PA, and WA.</p> <p>No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).</p>
15.8	Other Requirements:	<p>The primary components of this product are listed in Annex I of EU Directive 67/548/EEC.</p> <p><u>Phosphoric acid</u>: Irritant (Xi).</p> <p><u>Risk Phrases</u> (R): 36/38 – Irritating to eyes and skin. <u>Safety Phrases</u> (S): 1/2-26-45 – Keep locked up and out of reach of children. In case of contact with eyes, rinse immediately with copious amounts of water. In case of accident or if you feel unwell seek medical advice immediately.</p> <p><u>Sulfuric Acid</u>: Corrosive (C).</p> <p><u>Risk Phrase</u> (R): 35 – Causes severe burns. <u>Safety Phrases</u> (S): 1/2-26-30-45 – Keep locked up. Keep out of reach children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Never add water to this product. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).</p>



## 16. OTHER INFORMATION

16.1	Other Information:	<p><b>DANGER! CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. MAY CAUSE DROWSINESS OR DIZZINESS. HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN.</b> Use only as directed. Keep container tightly closed. Do not breathe mist. Wash with soap and water thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Use only outdoors or in a well-ventilated area. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before use. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store in a well-ventilated placed. Keep container tightly closed. Store locked up. <b>KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.</b></p>
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	<p>This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's &amp; Birchwood Casey's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.</p>
16.4	Prepared for:	<p><b>Birchwood Casey</b>  7887 Fuller Road, Suite #100  Eden Prairie, MN 55344 USA  Tel: +1 (952) 388-6701  Fax: +1 (952) 388/6702  <a href="http://www.birchwoodCasey.com">http://www.birchwoodCasey.com</a></p>
16.5	Prepared by:	<p><b>ShipMate, Inc.</b>  P.O. Box 787  Sisters, Oregon 97759-0787 USA  Tel: +1 (310) 370-3600  Fax: +1 (310) 370-5700  <a href="http://www.shipmate.com">http://www.shipmate.com</a></p>





## DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

### GENERAL INFORMATION:

<b>CAS No.</b>	Chemical Abstract Service Number
----------------	----------------------------------

### EXPOSURE LIMITS IN AIR:

<b>ACGIH</b>	American Conference on Governmental Industrial Hygienists
<b>TLV</b>	Threshold Limit Value
<b>OSHA</b>	U.S. Occupational Safety and Health Administration
<b>PEL</b>	Permissible Exposure Limit
<b>IDLH</b>	Immediately Dangerous to Life and Health

### FIRST AID MEASURES:

<b>CPR</b>	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

<b>0</b>	Minimal Hazard
<b>1</b>	Slight Hazard
<b>2</b>	Moderate Hazard
<b>3</b>	Severe Hazard
<b>4</b>	Extreme Hazard

<b>HEALTH</b>
<b>FLAMMABILITY</b>
<b>PHYSICAL HAZARDS</b>
<b>PERSONAL PROTECTION</b>

### PERSONAL PROTECTION RATINGS:

<b>A</b>	
<b>B</b>	
<b>C</b>	
<b>D</b>	
<b>E</b>	
<b>F</b>	

<b>G</b>	
<b>H</b>	
<b>I</b>	
<b>J</b>	
<b>K</b>	
<b>X</b>	Consult your supervisor or SOPs for special handling directions.

<b>Safety Glasses</b>	<b>Splash Goggles</b>	<b>Face Shield &amp; Protective Eyewear</b>	<b>Gloves</b>
<b>Boots</b>	<b>Synthetic Apron</b>	<b>Protective Clothing &amp; Full Suit</b>	<b>Dust Respirator</b>
<b>Full Face Respirator</b>	<b>Dust &amp; Vapor Half-Mask Respirator</b>	<b>Full Face Respirator</b>	<b>Airline Hood/Mask or SCBA</b>

### OTHER STANDARD ABBREVIATIONS:


<b>NA</b>	Not Available
<b>NR</b>	No Results
<b>NE</b>	Not Established
<b>ND</b>	Not Determined
<b>ML</b>	Maximum Limit
<b>SCBA</b>	Self-Contained Breathing Apparatus
<b>Flam.</b>	Flammable
<b>Liq.</b>	Liquid
<b>Sol.</b>	Solid
<b>Tox.</b>	Toxicity
<b>Irrit.</b>	Irritation
<b>Sens.</b>	Sensitization
<b>Ox.</b>	Oxidizing
<b>Corr.</b>	Corrosion
<b>Repr.</b>	Reproductive (Harm)
<b>Asp.</b>	Aspiration
<b>Inh.</b>	Inhalation
<b>Dam.</b>	Damage
<b>STOT SE</b>	Specific Target Organ Toxicity – Single Exposure
<b>STOT RE</b>	Specific Target Organ Toxicity – Repeated Exposure

### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:	
<b>Autoignition Temperature</b>	Minimum temperature required to initiate combustion in air with no other source of ignition
<b>LEL</b>	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
<b>UEL</b>	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

### HAZARD RATINGS:

<b>0</b>	Minimal Hazard
<b>1</b>	Slight Hazard
<b>2</b>	Moderate Hazard
<b>3</b>	Severe Hazard
<b>4</b>	Extreme Hazard
<b>ACD</b>	Acidic
<b>ALK</b>	Alkaline
<b>COR</b>	Corrosive
<b>W</b>	Use No Water
<b>OX</b>	Oxidizer
<b>TREFOIL</b>	Radioactive



### TOXICOLOGICAL INFORMATION:

<b>LD<sub>50</sub></b>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
<b>LC<sub>50</sub></b>	Lethal concentration (gases) which kills 50% of the exposed animal
<b>ppm</b>	Concentration expressed in parts of material per million parts
<b>TD<sub>01</sub></b>	Lowest dose to cause a symptom
<b>TCLo</b>	Lowest concentration to cause a symptom
<b>TD<sub>01</sub>, LD<sub>01</sub>, &amp; LD<sub>01</sub> or TC, TC<sub>01</sub>, LC<sub>01</sub>, &amp; LC<sub>01</sub></b>	Lowest dose (or concentration) to cause lethal or toxic effects
<b>IARC</b>	International Agency for Research on Cancer
<b>NTP</b>	National Toxicology Program
<b>RTECS</b>	Registry of Toxic Effects of Chemical Substances
<b>BCF</b>	Bioconcentration Factor
<b>TL<sub>m</sub></b>	Median threshold limit
<b>log K<sub>OW</sub> or log K<sub>OC</sub></b>	Coefficient of Oil/Water Distribution

### REGULATORY INFORMATION:

<b>WHMIS</b>	Canadian Workplace Hazardous Material Information System
<b>DOT</b>	U.S. Department of Transportation
<b>TC</b>	Transport Canada
<b>EPA</b>	U.S. Environmental Protection Agency
<b>DSL</b>	Canadian Domestic Substance List
<b>NDSL</b>	Canadian Non-Domestic Substance List
<b>PSL</b>	Canadian Priority Substances List
<b>TSCA</b>	U.S. Toxic Substance Control Act
<b>EU</b>	European Union (European Union Directive 67/548/EEC)
<b>WGK</b>	Wassergefährdungsklassen (German Water Hazard Class)

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

### EC (67/548/EEC) INFORMATION:

C	E	F	N	O	T	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment