TRIM

SAFETY DATA SHEET

1. Identification

Product identifier TRIM® SC520

Other means of identification None.

Recommended use Metal Working Fluids.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name Master Fluid Solutions
Address 501 West Boundary Street

Perrysburg, Ohio 43551-1200

United States

Telephone 419-874-7902

Website www.masterfluidsolutions.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation

Category 2 Category 2A

Serious eye damage/eye irritation

Environmental hazards

Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash hands thoroughly after handling. Wear eye protection/face protection. Wear protective

gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL	#//	64742-52-5	5 - < 10
TRIETHANOLAMINE		102-71-6	5 - < 10

Material name: TRIM® SC520

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	3 - < 5
MONOETHANOLAMINE		141-43-5	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
Other components below reportable levels			70 - < 80

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air.

None known.

Skin contact

Wash affected area with mild soap and water.

Eye contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Ingestion

In the unlikely event of swallowing contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

General information

Get medical attention, if needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment. Use standard firefighting procedures and consider the

hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use

personal protective equipment as required.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
MONOETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Values Components	Туре	Value	Form
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	

Material name: TRIM® SC520

US. ACGIH Threshold Limit Value Components	s Type	Value	Form
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Cher	nical Hazards		
Components	Туре	Value	Form
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
SEVERELY HYDROTREATED BETROLEUM OUL (CAS	STEL	10 mg/m3	Mist.
PETROLEUM OIL (CAS 64742-52-5)			

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash fountain and emergency showers are

recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses.

Skin protection

Hand protection

Wear appropriate chemical resistant gloves.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Physical state

Liquid.

Color

Blue

Odor

Mild amine

Odor threshold

Not available.

рН

10.2 - 10.6

Melting point/freezing point

21.4 °F (-5.89 °C)

Initial boiling point and boiling

210.09 °F (98.94 °C)

range

Flash point

> 199.9 °F (> 93.3 °C)

Evaporation rate

< 1 BuAc

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

SDS US 3/7

Solubility(ies)

Solubility (water)

Soluble

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

Other information

Flash point class

ASTM D93-08

pH in aqueous solution

9.6 - 10

Specific gravity

0.979 - 1.082

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stable at normal conditions.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Conditions to avoid

Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Incompatible materials

Strong acids. Powerful oxidizers.

Hazardous decomposition products

To avoid thermal decomposition, do not overheat.

11. Toxicological information

Information on likely routes of exposure

Inhalation

No adverse effects due to inhalation are expected.

Skin contact

May be irritating to the skin.

May be irritating to eyes.

Eye contact Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

May be irritating to the skin. May be irritating to eyes.

toxicological characteristics

Information on toxicological effects

Not classified. **Acute toxicity**

Test Results Product Species

TRIM® SC520

Acute

Dermal

LD50 Rabbit > 2000, mg/kg

Inhalation

LC50

Rat

> 200, mg/l

Oral

LD50

Rat

> 5000, mg/kg

Skin corrosion/irritation Serious eve damage/eve May be irritating to the skin. May be irritating to eyes.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Not classified.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Material name: TRIM® SC520 SDS US Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

Chronic effects

None known.

12. Ecological information

Ecotoxicity

Not available.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

UN number

UN3082

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16,

CHLORO)

Transport hazard class(es)

Class

9

Subsidiary risk

-

Packing group

Ш

Environmental hazards
Marine pollutant


Yes

EmS

F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG



Material name: TRIM® SC520

1028 Version #: 04 Revision date: 10-03-2018 Issue date: 05-27-2015

Marine pollutant



IMDG Regulated Marine Pollutant. General information

15. Regulatory information

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

On inventory (yes/no)* Country(s) or region Inventory name Yes Domestic Substances List (DSL) Canada No Canada Non-Domestic Substances List (NDSL) Yes Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico

16. Other information, including date of preparation or last revision

05-27-2015 Issue date 10-03-2018 Revision date

Version # 04

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury,

damage or expense due to improper use.

Material name: TRIM® SC520 SDS US 6/7

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Revision information

Fire-fighting measures: Special protective equipment and precautions for firefighters

Fire-fighting measures: Special protective equipment and precautions for fire Exposure controls/personal protection: Appropriate engineering controls Toxicological Information: Toxicological Data Toxicological information: Aspiration hazard Toxicological information: Respiratory sensitization Toxicological information: Specific target organ toxicity - repeated exposure Toxicological information: Specific target organ toxicity - single exposure Regulatory information: California Proposition 65

HazReg Data: North America

SDS US Material name: TRIM® SC520