



modern chemical, inc.

P.O. BOX 368 JACKSONVILLE, AR 72078

## SAFETY DATA SHEET

Blue Gold Industrial Cleaner

Revision Date 01/22/2018

## SECTION - 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name **Blue Gold Industrial Cleaner** Item 109  
 Product Use Hard Surface Cleaner / Degreaser (360-MC)  
 Company Name Modern Chemical, Inc. Office (501) 988-1311  
 P.O. Box 368 Fax (501) 988-2229  
 Jacksonville AR 72078 Web [www.bluegoldcleaner.com](http://www.bluegoldcleaner.com)  
 EMERGENCY TELEPHONE NUMBER INFOTRAC (800) 535-5053

## SECTION - 2 HAZARDS INFORMATION

Pictogram

Signal Word **Danger**Hazards **Health, Physical and Environmental Hazard Statements**

Causes skin irritation

Causes serious eye damage

Harmful to aquatic life

**Hazard Classification**

Category 2 Skin

Category 1 Eyes

Category 3 Acute Toxicity

**Code**

H315

H318

H402

Precautions **Handling and Storage**

Avoid breathing dust/fume/gas/mist/vapours/spray

Do not get in eyes, on skin, or on clothing

Wash thoroughly after handling

Avoid release to the environment

Use personal protective equipment as required (See Section 8)

Store in a closed container

**Code**

P261

P262

P264

P273

P281 S8

P404

## SECTION - 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
2-(2-Butoxyethoxy)ethanol Sodium	Diethylene Glycol Monobutyl Ether	112-34-5		7 - 10%
Metasilicate Pentahydrate	Disodium Trioxosilicate	10213-79-3		4 - 9%
Nonylphenol Ethoxylate	Nonylphenyl-polyethylene glycol	9016-45-9		1 - 5%

**Contains less than 5% silica**

## SECTION - 4 FIRST AID MEASURES

**EYE CONTACT** Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain immediate medical attention, preferably from an ophthalmologist

**SKIN CONTACT** Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before reuse, If irritation is present or occurs obtain medical attention

**INHALATION** Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention

**INGESTION** DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

**Aspiration Hazard** Not considered to be an aspiration hazard

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

**Eyes** Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

**Skin** Can cause skin irritation, redness, drying or cracking

**Inhalation** Spray mist may cause mild irritation, to respiratory tract

**Ingestion** May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

**CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE**

**Eyes** Causes serious eye irritation, redness, tearing, pain, burns, or possible eye damage

**Skin** Causes skin irritation, redness, burning, drying or cracking

**Inhalation** Spray mist may cause irritation, to nose, throat, mucus membranes or respiratory tract

**Ingestion** May be harmful if swallowed, Causes irritation, burning in the mouth, throat, and esophagus, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

**SECTION – 5 FIRE FIGHTING MEASURES**

<b>Extinguishing Media</b>	Not flammable: Use extinguishing media for surrounding fire
<b>Hazardous Decomposition</b>	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes
<b>Reactive With</b>	Incompatible with, strong oxidizing agents, strong acids
<b>Explosion Hazards</b>	Not applicable
<b>Static Discharge</b>	Not applicable
<b>Mechanical Impact</b>	Not applicable
<b>Protective Equipment</b>	Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

**FLAMMABLE LIQUIDS HAZARD CLASSIFICATION**

Criteria Flash point &gt; 93.3°C (200°F)

NFPA Class III B

GHS Not applicable

WHMIS Not applicable

**NFPA HAZARD RATINGS**

Health 2

Flammability 0

Reactivity 0

Special Hazards FBG

**SECTION – 6 ACCIDENTAL RELEASE MEASURES**

<b>Emergency Procedures</b>	Warn personnel of spill
<b>Personal Precautions</b>	Ventilate area, Avoid slipping on spilled product
<b>Protective Equipment</b>	Safety Glasses, Chemical Gloves and Rubber Boots
<b>Containment</b>	Use absorbent socks or pads to prevent spill from spreading
<b>Clean Up Procedures</b>	Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water, Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container Vacuum or sweep up material and place in a disposal container
<b>Disposal</b>	Dispose of material in accordance with all State and Federal Guidelines and Regulations

**SECTION – 7 HANDLING AND STORAGE**

<b>Handling</b>	Keep away from incompatible materials, Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist, May be harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment
<b>Storage</b>	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials
<b>Incompatible Materials</b>	Incompatible with, strong oxidizing agents, strong acids

**SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION****EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
2-(2-Butoxyethoxy)ethanol	10 ppm				
Sodium Metasilicate Pentahydrate	None Established				ED, SI, RT
Nonylphenol Ethoxylate	None Established				ED

**PERSONAL PROTECTIVE EQUIPMENT**Chemical Safety Glasses,  
Goggles or Face ShieldImpervious  
Chemical GlovesEye Wash and  
Safety Shower  
(Recommended)**Ventilation**

General Ventilation  
Ventilate to keep vapors of this material below the lowest ppm listed above.  
If over Threshold Limit Value use a MSHA / NIOSH approved respirator

**HMIS HAZARD RATINGS**

Health	2
Flammability	0
Reactivity	0
Personal Protection	B

**SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES**

Flash Point	>212°F (100°C) TAG Closed Cup	Specific Gravity / Density	1.08
Flammable Limits	ND	pH (± 0.3)	13.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	ND
Appearance	Clear Blue	Boiling Point	ND
Odor	Peppermint	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	ND	Partition Coefficient	ND
VOC	0.5% at 5% dilution / 5 gm/L VOC in 5% dilution	Molecular Weight (g/mol)	~ 82.44
LVP-VOC	ND	Decomposition Temperature	ND

**SECTION – 10 STABILITY AND REACTIVITY**

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable when stored below 49°C (120°F)
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, sodium oxides, silicon oxides, and other toxic fumes

**SECTION – 11 TOXICOLOGICAL INFORMATION****ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

**ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE**

Eyes	Causes serious eye irritation, redness, tearing, pain, or possible corneal injury
Skin	Can cause skin irritation, redness, drying or cracking
Inhalation	Spray mist may cause mild irritation, to respiratory tract
Ingestion	May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

**CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE**

Eyes	Causes serious eye irritation, redness, tearing, pain, burns, or possible eye damage
Skin	Causes skin irritation, redness, burning, drying or cracking
Inhalation	Spray mist may cause irritation, to nose, throat, mucus membranes or respiratory tract
Ingestion	May be harmful if swallowed, Causes irritation, burning in the mouth, throat, and esophagus, Symptoms may include, nausea, diarrhea, vomiting, abdominal pain

Acute Tox Calculated	Oral:	9,247 mg/kg	Dermal:	16,755 mg/kg	Inhaled:	57.5 mg/L
Acute Tox Category	Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled >12.5 mg/L) Dust or Mist					

**Additional Info**

Target Organs	Kidneys, Liver
Medical Conditions	Preexisting, liver, kidney, disorders may be aggravated by exposure to this product
Notes to Physician	In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

**CARCINOGENIC – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>NTP</u>	<u>ACGIH</u>	<u>IARC</u>	<u>GHS Category</u>
None Listed	NA	NA	NA	NA

**MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:**

<u>CHEMICAL NAME</u>	<u>Germ Cell Mutagenicity</u>	<u>Toxic to Reproduction</u>
None Listed	NA	NA

**COMPONENTS ACUTE TOXICITY**

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Nonylphenol Ethoxylate	LD50	Oral	Rat	960 mg/kg	4 Hours (Mist)	4 (>300, ≤2000 mg/kg)
	LD50	Inhaled	Rat	1.15 mg/L		4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	2,991 mg/kg		(>2000 mg/kg)
Sodium Metasilicate Pentahydrate	LD50	Oral	Rat	847 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Rat	Dermal	> 5000 mg/kg		(>2000 mg/kg)
Glycol Ether DB	LD50	Oral	Rat	7,291 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	2,764 mg/kg		(>2000 mg/kg)

**SECTION – 12 ECOLOGICAL INFORMATION**

CHEMICAL NAME	Type	Subject	Subject Latin	Result Value	Exposure Time	GHS Category
Nonylphenol Ethoxylate	LC50	Bluegill	(Lepomis macrochirus)	1.0 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	EC50	Water Flea	(Daphnia magna)	12.2 mg/L	48 Hours	3 (>10, ≤100 mg/L)
Sodium Metasilicate Pentahydrate	LC50	Zebrafish	(Brachydanio rerio)	210 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	1700 mg/L	48 Hours	4 (>100 mg/L)
2-(2-Butoxyethoxy)ethanol	LC50	Fish	(Leuciscus Idus)	1,300 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	>100 mg/L	48 Hours	4 (>100 mg/L)
<b>Presistence And Degradability</b>	This product is inherently biodegradable according to the OECD definition					
<b>Bioaccumulative Potential</b>	No data available					
<b>Mobility In Soil</b>	This product is water soluble and will move readily in soil and water					
<b>Other Adverse Effects</b>	Harmful to aquatic organisms due to pH shift					

**SECTION – 13 DISPOSAL CONSIDERATIONS****DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER****Dispose of any waste in accordance with all State and Federal Guidelines and Regulations****ENVIRONMENTAL FATE**

This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations (40 CFR 261) due to its composition containing in some or all of its components

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate

**SECTION – 14 TRANSPORT INFORMATION****DOT, IMDG, IATA CLASSIFICATION**

UN Number	Proper Shipping Name	n.o.s. ( Chemicals ) or "Limits"				
Not Regulated	Non Hazardous – Compounds Cleaning Liquid					
Hazard Class	Packing Group	Label Codes	Reportable Quantity (lbs)	Response	Marine Pollutant	Hazard Label
None	None	None	None	154	No	
Additional Info: Not restricted as per IATA.						

**SECTION – 15 REGULATORY INFORMATION****TSCA**

CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Glycol Ethers	Yes			
Sodium Metasilicate Pentahydrate	Yes			

**REPORTABLE QUANTITIES**

CHEMICAL NAME	Extremely Hazardous	Reportable Quantity	Emission Reporting
CHEMICAL NAME	EPCRA TPQ Sec 302	EPCRA RQ Sec 304	CERCLA RQ Sec 103
Glycol Ethers			Yes

**SARA**

CHEMICAL NAME	Section 311	Section 311 / 312 Hazards
CHEMICAL NAME	Hazardous Chemical	Acute
2-(2-Butoxyethoxy)ethanol	Yes	Yes
Nonylphenol Ethoxylate	Yes	Yes
Sodium Metasilicate Pentahydrate	Yes	Yes

**RIGHT TO KNOW**

CHEMICAL NAME	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
2-(2-Butoxyethoxy)ethanol							Yes	Yes					
Nonylphenol Ethoxylate						Yes		Yes					
Sodium Metasilicate Pentahydrate						Yes		Yes					

**CALIFORNIA**

CHEMICAL NAME	CAS #	Birth Defects	Reproductive Harm	Carcinogen	Developmental
None Listed					

**CLEAN AIR WATER ACTS**

CHEMICAL NAME	CAS #	HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

**INTERNATIONAL REGULATIONS** – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
Glycol Ethers	Yes	Yes	Yes	Yes	Yes	Yes

**WHMIS Classification**

CHEMICAL NAME	DSL	Class	Description
2-(2-Butoxyethoxy)ethanol	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material

## SECTION – 16 OTHER INFORMATION

**SDS** **LEGEND DESCRIPTION**

~	Approximately	*	Additional Information
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NE	Not Established
EPA	Environmental Protection Agency	NFPA	National Fire Protection Association
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NIOSH	National Institute for Occupational Safety and Health
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous Air Pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

**Modern Chemical, Inc.**

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated

1/02/2018

